

## FULLY LOADED?



Boost your fleet's potential

Maximise space

Less damage to goods

More environmentally friendly

No more part loads

## Your vehicle could earn more



Competitive pricing edge

2 or 3 part pallets in 1 pallet space

Fully cross braced for stability

All MultiStacks can be loaded & unloaded by pallet truck



Email: [enquiries@danload.co.uk](mailto:enquiries@danload.co.uk)

Office: 01732 240577

Sales rep: 07947999927

[www.danload.co.uk](http://www.danload.co.uk)


All our products are made by an ISO 9001 accredited manufacturer

Go Green  
Less Fuel  
Less CO<sub>2</sub>




# TriStack SR1000™

## The Fixed Range:

- 1 – 2 or 3 x 1000 x 1200 part pallets
- Only 250mm wider and 25mm deeper than standard UK pallet
- Chassis adjusts in 200mm increments
- Can carry 1300mm high pallet on base
- Can be used as a DuoStack or TriStack
- Can be stacked 2 high when not in use
- Ideal for getting weight at front on double stacking trailers
- Centre chassis has easy lift and lower mechanism



<b>Overall Dimensions</b>	W 1200mm x D 1260mm x H 1570mm	<b>Weight</b>	185 KG
<b>Load area base</b>	W 1000mm x D 1200mm x H variable 250mm – 650mm	<b>Carrying Capacity</b>	600 KG
<b>Load area centre</b>	W 1000mm x D 1200mm x H variable 600mm–1300mm	<b>Carrying Capacity</b>	300 KG
<b>Load area top</b>	W 1000mm x D 1200mm x H unrestricted	<b>Carrying Capacity</b>	300 KG



Shown with optional 3-part ramp

# DuoStack R1000™

## The Fixed Range:

2 x 1000 x 1200 part pallets


Dimensions: H 1280 x D 1225 x W 1200

Only 200mm wider and 25mm deeper than standard UK pallet


Can carry 1000mm high pallet on base

Can be stacked 3 high when not in use

Ideal for getting weight at front on double stacking trailers



<b>Overall Dimensions</b>	W 1200mm x D 1225mm x H 1280mm	<b>Weight</b>	140 KG
<b>Load area base</b>	W 1000mm x D 1200mm x H 1000mm	<b>Carrying Capacity</b>	600 KG
<b>Load area top</b>	W 1000mm x D 1200mm x H unrestricted	<b>Carrying Capacity</b>	300 KG



Shown with Ramp 500.  
All MultiStacks come with Ramp 500

# TriStack FC 1000™

## The Collapsible Range:

1 - 2 or 3 x 1000 x 1200 part pallets

Only 350mm wider and 50mm deeper than standard UK pallet


Assisted lift & lower mechanism

Fixed chassis heights


Fully collapsible

Can be used as a full pallet base when collapsed


Can be stacked 5 high when not in use



<b>Overall Dimensions</b>	W 1350 x D 1250 x H 1570	<b>Weight</b>	200 KG
<b>Load area base</b>	W 1000 x D 1200 x H 600	<b>Carrying Capacity</b>	600 KG
<b>Load area centre</b>	W 1000 x D 1200 x H 600	<b>Carrying Capacity</b>	300 KG
<b>Load area top</b>	W 1000 x D 1200 x H unrestricted	<b>Carrying Capacity</b>	300 KG



Shown with optional 3-part ramp



# DuoStack FC 1000™

## The Collapsible Range:


2 x 1000 x 1200 part pallets

Only 250mm wider and 50mm deeper than standard UK pallet





Fully collapsible

Can be used as a full pallet base when collapsed

Option to ship 2 part pallets using only 1 pallet space



<b>Overall Dimensions</b>	W 1250mm x D 1250mm x H 1260mm	<b>Weight</b>	160 KG
<b>Load area base</b>	W 1000mm x D 1200mm x H variable up to 1000mm	<b>Carrying Capacity</b>	600 KG
<b>Load area top</b>	W 1000mm x D 1200mm x H unrestricted	<b>Carrying Capacity</b>	300 KG




Shown with optional 3-part ramp

## Efficiency Example

### 26 tonne rigid curtainsider

Internal LWH	9.15m x 2.54m x 2.60m
Payload	15,500 KG
Payload with 4 MultiStacks	15,040 KG
Normal carrying capacity	18 pallets
Carrying capacity with 2 x DuoStacks & 2 x TriStacks	22 pallets



### MultiStack Features

- Carries 1000 x 1200 standard UK pallet
- Euro pallet sizes available
- 600 KG carrying capacity on base
- 300 KG carrying capacity on each elevated chassis
- Loaded and unloaded using forklift or by pallet truck using tail lift
- Comes with optional cross brace for additional safety, Ramp 500 and 3 – part load stabilising bar

The MultiStack range is available by purchase, hire purchase finance or lease.

### New DuoStack 60 FC1000

- 2 x 1000 x 1200 part pallets
- Dimensions: H 870 x D 1250 x W 1350
- Fully collapsible
- Bottom chassis carries pallet 600mm high

