

FULLY LOADED?



Boost your fleet's potential

Maximise space

Less damage to goods

More environmentally friendly

No more part loads

Your vehicle could earn more



Competitive pricing edge

2 or 3 part pallets in 1 pallet space

Fully cross braced for stability

All MultiStacks can be loaded & unloaded by pallet truck



Email: enquiries@danload.co.uk

Office: 01732 240577

Sales rep: 07947999927

www.danload.co.uk


All our products are made by an ISO 9001 accredited manufacturer

Go Green
Less Fuel
Less CO₂




TriStack SR1000™

The Fixed Range:

- 1 – 2 or 3 x 1000 x 1200 part pallets
- Only 250mm wider and 25mm deeper than standard UK pallet
- Chassis adjusts in 200mm increments
- Can carry 1300mm high pallet on base
- Can be used as a DuoStack or TriStack
- Can be stacked 2 high when not in use
- Ideal for getting weight at front on double stacking trailers
- Centre chassis has easy lift and lower mechanism



Overall Dimensions	W 1200mm x D 1260mm x H 1570mm	Weight	185 KG
Load area base	W 1000mm x D 1200mm x H variable 250mm – 650mm	Carrying Capacity	600 KG
Load area centre	W 1000mm x D 1200mm x H variable 600mm–1300mm	Carrying Capacity	300 KG
Load area top	W 1000mm x D 1200mm x H unrestricted	Carrying Capacity	300 KG



Shown with optional 3-part ramp

DuoStack R1000™

The Fixed Range:


2 x 1000 x 1200 part pallets

Only 200mm wider and 25mm deeper than standard UK pallet


Can carry 1000mm high pallet on base

Can be stacked 3 high when not in use

Ideal for getting weight at front on double stacking trailers



Overall Dimensions	W 1200mm x D 1225mm x H 1280mm	Weight	140 KG
Load area base	W 1000mm x D 1200mm x H 1000mm	Carrying Capacity	600 KG
Load area top	W 1000mm x D 1200mm x H unrestricted	Carrying Capacity	300 KG



Shown with Ramp 500.
All MultiStacks come with Ramp 500

TriStack FC 1000™

The Collapsible Range:

1 - 2 or 3 x 1000 x 1200 part pallets

Only 350mm wider and 50mm deeper than standard UK pallet


Assisted lift & lower mechanism

Fixed chassis heights


Fully collapsible

Can be used as a full pallet base when collapsed


Can be stacked 5 high when not in use



Overall Dimensions	W 1350 x D 1250 x H 1570	Weight	200 KG
Load area base	W 1000 x D 1200 x H 600	Carrying Capacity	600 KG
Load area centre	W 1000 x D 1200 x H 600	Carrying Capacity	300 KG
Load area top	W 1000 x D 1200 x H unrestricted	Carrying Capacity	300 KG



Shown with optional 3-part ramp



DuoStack FC 1000™

The Collapsible Range:


2 x 1000 x 1200 part pallets

Only 250mm wider and 50mm deeper than standard UK pallet





Fully collapsible

Chassis adjusts in 200mm increments

Can be used as a full pallet base when collapsed



Overall Dimensions	W 1250mm x D 1250mm x H 1260mm	Weight	160 KG
Load area base	W 1000mm x D 1200mm x H variable up to 1000mm	Carrying Capacity	600 KG
Load area top	W 1000mm x D 1200mm x H unrestricted	Carrying Capacity	300 KG




Shown with optional 3-part ramp

Efficiency Example

44 tonne rigid curtainsider

Internal LWH	13.42m x 2.49m x 2.60m
Payload	28,000 KG
Payload with 4 MultiStacks	27,540 KG
Normal carrying capacity	26 pallets
Carrying capacity with 2 x DuoStacks & 2 x TriStacks	32 pallets



MultiStack Features

- Carries 1000 x 1200 standard UK pallet
- Euro pallet sizes available
- 600 KG carrying capacity on base
- 300 KG carrying capacity on each elevated chassis
- Loaded and unloaded using forklift or by pallet truck using tail lift
- Comes with optional cross brace for additional safety, Ramp 500 and 3 – part load stabilising bar

The MultiStack range is available by purchase, hire purchase finance or lease.

New DuoStack 60 FC1000

- 2 x 1000 x 1200 part pallets
- Dimensions: H 870 x D 1250 x W 1350
- Fully collapsible
- Bottom chassis carries pallet 600mm high

